



NUNAVUT WATER BOARD

NOTICE OF PUBLIC HEARING

Notice is given that in the week of July 12, 2021, the Nunavut Water Board (NWB) will conduct an in person Public Hearing in respect of an amendment application to the Type "A" Water Licences for Back River Project 2AM-BRP1831, details of which are as follows:

File #: 2AM-BRP1831
Project: Back River Project
Location: NW 66°42' N 107°50' W
NE 66°42' N 106°11' W
SE 65°29' N 106°12' W
SW 65°29' N 107°50' W
Purpose: New Type "A" Water Licence.
Location of Hearing: Cambridge Bay, Nunavut
Date: The Public Hearing will occur on
July 13-14, 2021
Time and Location: 9:00am MT- 5:00pm MT at the Luke
Novoligak Community Hall

The Public Hearing will proceed in accordance with the NWB Rules of Practice and Procedure and the NWB Panel directions that will be provided within the NWB's 2AM-BRP1831 Pre-Hearing Conference Decision to be issued April 19, 2021. Interested persons are invited to make representations on or before **June 15, 2021** to:

Manager of Licensing, Nunavut Water Board
P.O. Box 119, Gjoa Haven, Nunavut X0B 1J0
Phone: (867) 360-6338; Fax: (867) 360-6369
E-mail: licensing@nwb-oen.ca

NOTE: Anyone who may be adversely affected by the Applicant's proposed Amendment but fails to make representations to the NWB at least 10 days before the Public Hearing may lose the right to seek compensation under the Nunavut Waters and Nunavut Surface Rights Tribunal Act.

Copies of the application and supporting documents may be obtained, free of charge, through the internet on the NWB ftp site at the following link:

<ftp://ftp.nwb-oen.ca/registry/2%20MINING%20MILLING/2A/2AM%20-%20Mining/2AM-BRP1831%20Sabina/1%20APPLICATION/2020%20Amendment/>

or by contacting: Mathew Pickard, Vice President,
Environment & Sustainability
Phone: (604) 998-4175
Fax (888) 648-4218
E-mail : mpickard@sabinagoldsilver.com

Failure to respond to this Notice of Application within the specified period will result in the loss of the right to be compensated, pursuant to Sections 58 to 61 of the Act.